


Elementix® |



Elementix®

Elementix® is an innovative and comprehensive range of clay rainscreen cladding systems developed to offer an unrivalled choice in façade finishes.

Elementix® **express** is a cost effective and quick to build system in a range of the most popular size formats, natural clay colours and surface finishes.

Elementix® **eco-freedom** removes the design constraints of standard panel formats allowing sizes to be specified to suit the building. In addition Elementix® freedom has exceptional sustainability credentials.

Elementix® **colour** offers a virtually unlimited palette of ceramic glazed finishes to make every project unique.

All Elementix® rainscreens have been engineered for speed of construction, durability and low maintenance and are tested to the CWCT* standard. Components are predominantly UK-made for ready availability and supported by Ibstock's nationwide network of Design Advisors and Approved Installers.



Elementix® gallery


Llandrillo College, Rhos-on-Sea | Elementix® express - Natural Finish | Red

* Centre for Window & Cladding Technology

Elementix[®] express

terracotta rainscreen just got easier...

Elementix[®] express has been engineered with the installer in mind to ensure ease and speed of construction. The range of natural clay colours and surface finishes adds definition and detailing to a façade in an instant.




key features

- Quick and easy to install
- Minimal components for cost-effectiveness
- Matches Fireborn Natural colours
- Wide range of glazed colours also available



Cemetery, Keele, Staffordshire | Elementix[®] express Natural Red



Natural Finish | Blue 5221



Natural Finish | Cream 5222



Natural Finish | Red 5220




Easy to fit

Size	Total System Weight	Tile Weight	Durability	Transverse Strength (Impact Resistance)	Water Absorption
400mm x 150mm	65Kg/m ²	3.6Kg	Frost Resistant	Category E to BS 8200	< 8%
450mm x 150mm	65Kg/m ²	4.0Kg	Frost Resistant	Category E to BS 8200	< 8%
500mm x 150mm	65Kg/m ²	4.5Kg	Frost Resistant	Category E to BS 8200	< 8%
400mm x 225mm	65Kg/m ²	5.4Kg	Frost Resistant	Category E to BS 8200	< 8%
450mm x 225mm	65Kg/m ²	6.1Kg	Frost Resistant	Category E to BS 8200	< 8%
500mm x 225mm	65Kg/m ²	6.8Kg	Frost Resistant	Category E to BS 8200	< 8%

The technical data was correct at the time of going to press.

Please call the Istock Design & Technical Helpline on **0844 800 4576** or visit www.istock.com for the latest information.



Elementix® eco-freedom

the choice is yours...

Elementix® eco-freedom is a revolution in rainscreen cladding combining superb environmental credentials with flexibility in size and unique surface finishes for truly stunning buildings.

key features

- Panels made from 94% recycled material
- Precise & durable ceramic tiles
- Size flexibility
- Other colours & textures available to order



University Building, University of the West of England | Elementix eco-freedom




Cream 5552



Grey 5554




Slate 5555



Orange 5551



Silver 5553



Natural Finish | Mocha 5550



Natural Finish | Blue 5556 **NEW**



Easy to fit

Maximum Size	Total System Weight	Tile Weight (900MM x 600MM TILE)	Durability	Transverse Strength (IMPACT RESISTANCE)	Water Absorption
900mm x 600mm	45Kg/m ²	20Kg	Frost Resistant	E to BS 8200	< 3%


Elementix® colour

paint the town whatever colour you want...

Elementix® colour enables specifiers to design with colour from a virtually unlimited range of ceramic glazes in RAL colours. From vibrant gloss to satin pastels, every façade can now become special.

key features


- Matches other Ibstock glazed products such as glazed bricks and glazed Fireborn®
- Patented fixing system
- High strength, CERAM Building Technology endorsed for use at ground level



Hospital Department, Gloucester
Elementix® colour - Glazed Finish I Copper



Natural Finish | Cream 5201



Glazed Finish | Graphite 5205



Glazed Finish | Silver 5202



Glazed Finish | Cobalt 5204



Natural Finish | Red 5200



Glazed Finish | Copper 5203



Glazed Finish | Bronze 5207



Glazed Finish | Gold 5206



Easy to fit

Size	Total System Weight	Tile Weight	Durability	Transverse Strength (Impact Resistance)	Water Absorption
450mm x 225mm	53Kg/m ²	4.6Kg	Frost Resistant	Category E to BS 8200	< 3%